

Glue laminated timber

produced according to ONORM EN 14080

adhesive: melamine urea glue (MUF)

surface: 4 sides planed, edges chamfered

lamellas: standard 40 mm, occasionally thinner lamellas are possible

dimensions: widths up to 280 mm; heights up to 1280 mm;

length: standard 13.50 m (from 4.00 up to 27.00 m on request possible)



glue laminated timber spruce GL 24 (GL 28, GL32, GL36 on request)

height	to	mc	to	mc	to	mc	to	mc	to	mc	to	mc	to	mc	to	mc	to	mc
max	pc	cm	pc	cm	pc	cm	pc	cm	pc	cm	pc	cm	pc	cm	pc	cm	pc	cm
mm 1280																		
+40																		
600	2,3	5,2	2,9	6,5	1,7	3,9	2,0	4,5	2,3	5,2	1,3	2,9	2,7	6,5	1,6	3,6	1,7	3,9
	8	120*32	8	120*40	4	120*24	4	120*28	4	120*32	2	120*18	4	120*40	2	120*22	2	120*24
560	2,2	4,8	2,7	6,0	1,6	3,6	1,9	4,2	2,2	4,8	2,4	5,4	2,7	6,0	2,8	6,7	1,6	3,6
	8	112*32	8	112*40	4	112*24	4	112*28	4	112*32	4	112*36	4	112*40	4	112*44	2	112*24
520	2,0	4,5	1,2	2,8	1,5	3,4	1,8	3,9	2,0	4,5	2,3	5,1	2,5	5,6	2,6	6,2	1,5	3,4
	8	104*32	4	104*20	4	104*24	4	104*28	4	104*32	4	104*36	4	104*40	4	104*44	2	104*24
480	1,9	4,1	1,1	2,6	1,4	3,1	1,6	3,6	1,9	4,1	2,1	4,7	2,3	5,2	1,3	2,9	2,6	6,2
	8	96*32	4	96*20	4	96*24	4	96*28	4	96*32	4	96*36	4	96*40	2	96*22	4	96*48
440	1,7	3,8	1,0	2,4	1,3	2,9	1,5	3,3	1,7	3,8	1,9	4,3	2,1	4,8	2,4	5,2	2,4	5,7
	8	88*32	4	88*20	4	88*24	4	88*28	4	88*32	4	88*36	4	88*40	4	88*44	4	88*48
400	2,3	5,2	1,4	3,2	1,7	3,9	2,0	4,5	2,3	5,2	2,4	5,8	2,7	6,5	1,6	3,6	1,7	3,9
	12	120*32	6	120*20	6	120*24	6	120*28	6	120*32	6	120*36	6	120*40	3	120*22	3	120*24
360	2,1	4,7	1,2	2,9	1,6	3,5	1,7	4,1	2,1	4,7	2,4	5,2	2,6	5,8	2,7	6,4	1,6	3,5
	12	108*32	6	108*20	6	108*24	6	108*28	6	108*32	6	108*36	6	108*40	6	108*44	3	108*24
320	1,7	4,1	2,2	5,2	1,3	3,1	1,5	3,6	1,7	4,1	2,0	4,7	2,2	5,2	2,4	5,7	2,6	6,2
	12	96*32	12	96*40	6	96*24	6	96*28	6	96*32	3	96*36	6	96*40	6	96*44	6	96*48
280	2,2	4,8	2,7	6,0	1,6	3,6	1,9	4,2	2,2	4,8	2,4	5,4	2,7	6,0	1,5	3,3	1,6	3,6
	16	112*32	16	112*40	8	112*24	8	112*28	8	112*32	8	112*36	8	112*40	4	112*22	4	112*24
240	2,3	5,2	2,9	6,5	1,8	3,9	2,0	4,5	2,3	5,2	2,6	5,8	2,9	6,5	1,6	3,6	1,7	3,9
	20	120*32	20	120*40	10	120*24	10	120*28	10	120*32	10	120*36	10	120*40	5	120*22	5	120*24
200	2,3	5,2	2,9	6,5	1,8	3,9	2,0	4,5	2,3	5,2	2,6	5,8	2,7	6,5				
	24	100*40	24	120*40	12	120*24	12	120*28	12	120*32	12	120*36	12	120*40				
160	2,0	4,8	2,5	6,0	1,5	3,6	1,8	4,2	2,2	4,8								
	28	112*32	28	112*40	14	112*24	14	112*28	14	112*32								
120	2,3	5,2	2,9	6,5	1,6	3,9												
	40	120*32	40	120*40	20	120*24												
width:	80		100		120		140		160		180		200		220		240	

width 260 and 280 mm on request

GLUE LAMINATED TIMBER NORITEC:

- beams with standard length
- cutted in requested lengths
- joining

packaging: in packets; single wrapping on request

joining: additional charges depending on complexity and dimensions of the construction

Glue laminated timber made of larch is available on request.



NORITEC Holzindustrie GmbH

9751 Sachsenburg, Feistritz 1 - AUSTRIA - T +43 4769 2249-0 – F-DW: -129 - info@hasslacher.at - www.hasslacher.at